$No.\ 61508$

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction
Corrected application filed
Map filed
The applicant
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if
copartnership or association, give names of members.)
1. The source of the proposed appropriation is <u>Underground - Well No. 46</u> Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 2.0 c.f.s., 800 AFA One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feet
3. The water to be used for Municipal Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under No. 12. "Remarks"
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point. NETNW: Section 7, T.15 N., Describe as being within a 40-acre subdivision of public R.20 E., MDB&M, or at a point from which the NW corner of said Section 7 survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. bears North 59°01' West, 2302 feet
6. Place of use See attached Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1 and end about December 31 , of each year. Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans an
specifications of your diversion or storage works.) well, pump and motor, and pipeline State manner in which water is to be diverted, i.e. diversion structure, ditches at connection to Catison City Municipal System flumes, drilled well with pump and motor, etc.

	xisting
). Estimated time required to construct works	1 year If well completed, describe works.
. Estimated time required to complete the app	lication of water to beneficial use20 years
2. Remarks: For use other than irrigation or consumptive use:	stock watering, state number and type of units to be served or annual
Please use maps on file at	the Division of Water Resources under Application
60831 to support the propos	ed point of diversion and under Application 61487
to support the proposed place	ce of use.
	s/Dorothy A Timian-Palmer
	Dorothy A. Timian-Palmer, Utility
lu/ama	By Carson City Water Utility Department 3300 Butti Way, Bldg. #19
ompared cl/nsr lw/cms	Carson City, Nevada 89701
otested 12/14/95, by T.C.I.D.,	
<u></u> ומסג	
AFF)	ROVAL OF STATE ENGINEER
This is to certify that I have examined the llowing limitations and conditions:	foregoing application, and do hereby grant the same, subject to the
equipped with a two (2) inch	e static water level. This well shall be nopening for measuring depth to water. If
prevent waste. A totalizing the discharge pipeline neameasurements must be kept totalizing meter must be insue before the Proof of Completionated within an area desimplements 534.030. The State retwater herein granted at any	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times.
prevent waste. A totalizing the discharge pipeline neameasurements must be kept totalizing meter must be inspectore the Proof of Completocated within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) the amount of water to be appropriated shall be leaved.	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to
prevent waste. A totalizing the discharge pipeline neameasurements must be kept totalizing meter must be insted before the Proof of Completocated within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be completed.	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0
prevent waste. A totalizing the discharge pipeline neameasurements must be kept totalizing meter must be instediore the Proof of Completed within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) the amount of water to be appropriated shall be accre-feet annually.	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be instead to the Proof of Complete located within an area desi NRS 534.030. The State ret water herein granted at any (CONTINUED ON PAGE 2) the amount of water to be appropriated shall be loceed. 2.0 ceed	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 February 7, 1999 ce and be completed on or before.
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be instead before the Proof of Completed within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be acced. 2.0 acced	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or stion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 Ce and be completed on or before. February 7, 1999 March 7, 1999
prevent waste. A totalizing the discharge pipeline neameasurements must be kept totalizing meter must be instead in the proof of Complete the Proof of Complete located within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be loced. 2.0 acre-feet annually. ork must be prosecuted with reasonable diligent poof of completion of work shall be filed before oplication of water to beneficial use shall be filed.	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 February 7, 1999 ce and be completed on or before.
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be insubsticted to the Proof of Completed located within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be loceed. 2.0 acre-feet annually. ork must be prosecuted with reasonable diligent poof of completion of work shall be filed before optication of water to beneficial use shall be filed of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use	stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 ce and be completed on or before. February 7, 1999 March 7, 1999 ed on or before. February 7, 2008
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be inspectore the Proof of Complete located within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be loceed. 2.0 acre-feet annually. ork must be prosecuted with reasonable diligent poof of completion of work shall be filed before opplication of water to beneficial use shall be filed ap in support of proof of beneficial use shall be applied to proof of ben	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 ce and be completed on or before. February 7, 1999 March 7, 1999 February 7, 2008 e shall be filed on or before. March 7, 2008 February 7, 2008 February 7, 2008 February 7, 2008 March 7, 2008 February 7, 2008 March 7, 2008 February 7, 2008
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be insubsticted to the Proof of Completed located within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be loceed. 2.0 acre-feet annually. ork must be prosecuted with reasonable diligent poof of completion of work shall be filed before optication of water to beneficial use shall be filed of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use shall be filed poof of the application of water to beneficial use	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or stion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 ce and be completed on or before. February 7, 1999 March 7, 1999 ed on or before. February 7, 2008 e shall be filed on or before. March 7, 2008 e filed on or before. N/A IN TESTIMONY WHEREOF, I, State Engineer of Nevada, have hereunto set my hand and the seal of my
prevent waste. A totalizing the discharge pipeline near measurements must be kept totalizing meter must be inspectore the Proof of Completed of the Proof of Completed within an area desi NRS 534.030. The State retwater herein granted at any (CONTINUED ON PAGE 2) he amount of water to be appropriated shall be accreted annually. Ork must be prosecuted with reasonable diligent coof of completion of work shall be filed before opplication of water to beneficial use shall be filed before application of water to beneficial use shall be filed before the policy of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of proof of beneficial use shall be made in support of work filed. APR 2 1999	meter must be installed and maintained in ar the point of diversion and accurate of water placed to beneficial use. The stalled before any use of water begins, or etion of Work is filed. This source is gnated by the State Engineer, pursuant to ains the right to regulate the use of the and all times. imited to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 800.0 ce and be completed on or before. February 7, 1999 March 7, 1999 ed on or before. February 7, 2008 e shall be filed on or before. March 7, 2008 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 17th day of April

Page 2 61508

(PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit will allow Carson City to pump a maximum of 11,700 acre-feet from Eagle Valley for a one year period, provided that the average groundwater pumped from Eagle Valley by Carson City over a period of five consecutive drought years will not exceed 9,900 acre-feet annually.

A drought year for the purposes of this permit will be defined as a water year which is 70% or less of the average annual precipitation for the Carson River Basin as of April 1st of that year as reported by the U.S. Department of Agriculture, Natural Resource Conservation Service. The groundwater rights of Carson City in Eagle Valley will not be subject to forfeiture under NRS 534.090 when operated in conjunction with maximum use of their surface water supplies.

This permit is issued subject to the conditions set forth under Order 1140.

The water rights issued under this permit shall not be used for the commitment to new development.

ITEM 6 - Proposed Place of Use

All of T.15 N., R.20 E., MDB&M; E½ of T.15 N., R.19 E., MDB&M; Sections 2, 3, and 4, E½ Section 5, and that portion of the N_2^1 NE¼ Section 6 which lies within Carson City limits, T.14 N., R.20 E., MDB&M; Sections 28, 29, 31, 32, 33, 34, and 35, W_2^1 Section 36, and those portions of the E½ Section 36 which lie within Carson City limits, T.16 N., R.20 E., MDB&M; the S½ of Sections 34, 35, and 36, NE¼ Section 36, and those portions of the SW¼NW¼ Section 36 and the S½NE¼ Section 35 which lie within the Carson City limits, T.16 N., R.19 E., MDB&M.